

# Work Order ID 73420-2

Wednesday, August 31, 2011 3:16:24 PM

Page 1

Item ID: D6101-005

Revision ID:

Item Name: Saddle Billet

Start Date: 8/31/2011 Start Qty: 40.00

Required Date: 9/14/2011 Req'd Qty: 40.00

Reference:

Approvals: Process Plan:

QC:

Date: 11/08/01 Tooling:

Date: SPC (Y/N):

Cust Item ID:

Customer:

Run Start

Stop

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D6101

Rev B

100

0.00



Purchasing

PURCHASING

Memo

0.00

Purchasing

Issue P/O:

14819

a) Description: Aluminum billet

b) 5.00" x 8.250" x 2.50" thick

c) Tolerance on all dimensions are +0.030"/-0.000"

d) Grain direction along 5.00" length

e) Material: 7075-T7351 (QQ-A-250/12)

f) Material certification required

CZ 11/09/10 2 40

110

Receive & Inspect for Damage & Mat'l Certs

0.00



Packaging

Memo

0.00

Packaging

Ensure material certification is attached

C4/10/20

# Work Order ID 73420

Wednesday, August 31, 2011 3:16:24 PM

Page 2



Item ID: D6101-005

Accept



Setup Start



Revision ID:

Item Name: Saddle Billet

Stop



Start Date: 8/31/2011 Start Qty: 40.00



Cust Item ID:

Required Date: 9/14/2011 Req'd Qty: 40.00



Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Tool ID

Tool #

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

120

QC6- Inspect dimensions to drawing

0.00

QC

Memo

0.00

*and 11/09/15*

*20*

Quality Control

Ensure Material certification comply to Dwg D6101

130

Identify as per dwg & Stock Location: *MATYI*

0.00

Packaging

Memo

0.00

*and 11/09/15*

*20*

Packaging

140

QC21- Final Inspection - Work Order Release

0.00

QC

Memo

0.00

Quality Control

*11/09/15*

*11-09-26*

# Picklist Print

Wednesday, August 31, 2011 3:16:21 PM

Page 1

Work Order ID: 73420



Parent Item: D6101-005



Parent Item Name: Saddle Billet

Start Date: 8/31/2011

Required Date: 9/14/2011

Start Qty: 40.00

Required Qty: 40.00


Comments: IPP A: 01.05.04 New Issue EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-005P		Purchased	No			110	Each	0.0000	1	40			
7075-T7351 8.25X5.0X2.5													



*Rec'd 9/10* (20)

# SPECIFICATION CONTROL DRAWING



PURCHASE MATERIAL ACCORDING TO THE FOLLOWING TABLE. SPECIFY ALLOY, LENGTH x WIDTH x THICK (+0.030/-0.000), AND GRAIN DIRECTION AS SHOWN.

TOLERANCES ON ALL DIMENSIONS ARE +0.030/-0.000.

ALL DIMENSIONS ARE IN INCHES.

**B** ACCEPTABLE SPECIFICATIONS FOR 7075-T7351 ALUMINUM ARE AMS-QQ-A-250/12, QQ-A-250/12, OR ASTM B209

Part No.	Alloy	Length	Width	Thick	Grain Direction
D6101-001	7075-T7351 (QQ-A-250/12)	6.000	6.250	2.000	Along 6.000 Length
D6101-003	7075-T7351 (QQ-A-250/12)	7.875	6.250	2.000	Along 7.875 Length
D6101-005	7075-T7351 (QQ-A-250/12)	5.000	8.250	2.500	Along 5.000 Length
D6101-007	7075-T7351 (QQ-A-250/12)	7.750	8.250	2.500	Along 7.750 Length
D6101-009	7075-T7351 (QQ-A-250/12)	8.700	8.250	2.500	Along 8.700 Length
D6101-011	7075-T7351 (QQ-A-250/12)	9.700	8.250	2.500	Along 9.700 Length
D6101-013	7075-T7351 (QQ-A-250/12)	10.100	8.250	2.500	Along 10.10 Length
D6101-015	7075-T7351 (QQ-A-250/12)	9.450	6.250	2.500	Along 9.450 Length
D6101-017	7075-T7351 (QQ-A-250/12)	6.350	6.250	2.250	Along 6.350 Length

**RELEASED**  
09/01/15/W

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 73420

B	ADDED D6101-015/-017, ADD ASTM B209	RF	09.04.23
A	NEW ISSUE	CP	01.03.30
REV.	DESCRIPTION	BY	DATE
DESIGN	CP	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D6101	SHEET 1 OF 1
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	SADDLE BILLET, 7075	NTS
DATE	09.04.23	<small>COPYRIGHT © 2001 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

**Castle Metals®**

A. M. Castle &amp; Co.

**PACKING SLIP**

Page 1 of 1

Shipment No:978706

<b>Ship From:</b> A. M. Castle & Co. (Canada) Inc. MONTREAL 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		<b>Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
<b>Date Shipped</b>	<b>F.O.B.</b>	<b>Freight Terms</b>		<b>Carrier</b>		<b>BOL No</b>	
14-SEP-2011	ORIGIN	Prepaid		MANITOULIN		978706-2	

<b>Shipment Details</b>	<b>Final Destination Branch - MON</b>
-------------------------	---------------------------------------

Order No	Line No	Item No	Description				
1690786	1	752241.MO	2.5000.PL.7075.T7351.ALUMINUM.USI.48.5000.144.5000 CUT 2SIDED TO 8.25 IN ( + .0310/- .0000 IN (GRAIN TO RUN ALONG 5")) X 5 IN ( + .0310/- .0000 IN (GRAIN TO RUN ALONG 5")) - ALUMINUM PLATE SAW SPECIFICATIONS: QQ-A-250/12				
Purchase Order No		Part Number		Ordered Qty		Invoice Qty	
14819		YOUR ITEM NUMBER: D6101-005		20 PCS		20 PCS	
Details							
Delivery No.	Mill	Heat Number	Mech Id	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)
94039326		485604A3		20			213.31

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date:

## SHIP TO:

CASTLE % CASTLE AEROSPACE  
3050 SOUTH HYDRAULIC  
WICHITA, KS 67216

# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number

4172660

## SOLD TO:

CAS AERO%AM CASTLE METALS  
ATTN: BOB OHR %ACCTS PAYABLES  
3400 NORTH WOLF ROAD  
FRANKLIN PARK, IL 60131

CUSTOMER PO NUMBER: 15132		WORK PACKAGE:		CUSTOMER PART NUMBER: 6879 AMC A97075-60			SHIP RUN/LOAD ID: 101636/8		GOV'T CONTRACT NUMBER:	
KAISER ORDER NO: 1087324		LINE ITEM: 1	SHIP DATE: 29-SEP-2009		ALLOY: 7075	CLAD: BARE	TEMPER: T7351		PRODUCT DESCRIPTION: Sawed Plate	
WEIGHT SHIPPED: 41304 LB		QUANTITY: 23 PCS EST.		B/L NUMBER: 2024219		GAUGE: 2.5000 IN		DIAMETER/WIDTH: 48.500 IN		LENGTH: 144.500 IN

### Certified Specifications

AMS 4078/RevG  
ASTM B 209/Rev07  
BSS 7055/RevA  
DPS 4.713/RevAH  
GSS16100/RevG/Amd1

AMS-QQ-A-250/12  
ASTM B 594/Rev06  
CMMP 025/RevS  
EAC MS1011/RevE  
MMS 159/RevN

AMS-STD-2154  
BAC 5439/RevH  
CSTI 006/RevC  
GAMPS 9101/RevB  
PS 21211/RevK

Test Code: 4297

### Test Results

Lot: 479608A2 Cast 268

Drop 23

Ingot 1

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	71.5 : 71.8 (493 : 495)	59.8 : 60.1 (412 : 414)	11.3 : 11.6

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	40.9 Min	41.5 Max
(MS/M) :	23.7 Min	24.1 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.10	0.20	1.5	0.03	2.5	0.19	5.7	0.04	0.01	0.02	TOT 0.05

TEST REPORTS AND  
DATA CONFIRMED



**KAISER  
ALUMINUM**Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586**CERTIFIED TEST REPORT**Serial Number  
4172660

Lot: 485604A3 Cast 271 Drop 23 Ingot 2

(ASTM E8/B557)  
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	71.8 : 72.0 (495 : 496)	59.9 : 60.4 (413 : 416)	10.6 : 10.9

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	41.3 Min	41.3 Max
(MS/M) :	24.0 Min	24.0 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.11	0.21	1.5	0.04	2.5	0.20	5.6	0.04	0.01	0.01	TOT 0.05

Lot: 485663A9 Cast 271 Drop 29 Ingot 4

(ASTM E8/B557)  
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	70.8 : 73.3 (488 : 505)	58.7 : 62.7 (405 : 432)	10.8 : 11.5

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	39.0 Min	42.0 Max
(MS/M) :	22.6 Min	24.4 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.09	0.18	1.4	0.04	2.4	0.20	5.7	0.03	0.01	0.01	TOT 0.05

# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4172660

### TEST NOTES

7075-T7351 plate 3.501-4.000" thick, if  
ultrasonically inspected, meets requirements of CMMP025 per  
SDR CMMP025-KaiserT-3. 7075-T7351 plate 4.001-5.000" thick,  
if ultrasonically inspected, meets requirements of CMMP025  
per  
SDR CMMP025-KaiserT-2.

Metal represented by this test report was immersion  
ultrasonically tested from one side and meets the Class A  
and Class B requirements of all specifications referenced  
on this test report.

### CERTIFICATION

KAISER ALUMINUM FABRICATED PRODUCTS, LLC (KAISER) HEREBY CERTIFIES THAT METAL SHIPPED UNDER THIS ORDER WAS MELTED IN THE UNITED STATES OF AMERICA OR A QUALIFYING COUNTRY PER DFARS 225.872-1(a), WAS MANUFACTURED IN THE UNITED STATES OF AMERICA, AND MEETS THE REQUIREMENTS OF DFARS 252.225 FOR DOMESTIC CONTENT. THIS MATERIAL HAS BEEN INSPECTED, TESTED, AND FOUND IN CONFORMANCE WITH THE REQUIREMENTS OF THE APPLICABLE SPECIFICATIONS AS INDICATED HEREIN. ALL METAL WHICH IS SOLUTION HEAT TREATED COMPLIES WITH AMS 2772. ANY WARRANTY IS LIMITED TO THAT SHOWN ON KAISER'S STANDARD GENERAL TERMS AND CONDITIONS OF SALE. TEST REPORTS SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF KAISER ALUMINUM FABRICATED PRODUCTS, LLC LABORATORY. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW. ISO-9001:2000 CERTIFIED.

**BILL POYNOR, LABORATORIES SUPERVISOR**

